

LEGEND 960 PCIe Gen4 x4 M.2 2280 SSD

UNLIMITED CREATIVITY



LEGEND 960 PCIe Gen4 x4 M.2 2280 Solid State Drive

With PCIe 4.0, sequential read/write speeds of 7,400/6,800MB per second, and up to 2TB of capacity, the LEGEND 960 will help you create seamlessly on the latest Intel and AMD platforms.

Features

- Ultra-fast PCIe Gen4 x4 interface
- Compliant with NVMe 1.4
- R/W speed up to 7,400/6,800MB/s
- Work with PS5
- Read speed up to 6,400MB/s for PS5
- SLC caching
- DRAM cache buffer
- Advanced hardware LDPC ECC Technology
- AES 256-bit encryption support
- Great upgrade option for creators
- Compact M.2 2280 form factor – Designed for professional-level tasks such as 3D graphics, film production, computer-aided engineering, etc.
- Free software: SSD ToolBox

Ordering Information

Capacity	Model Number	EAN Code
1TB	ALEG-960-1TCS	4711085937506
2TB	ALEG-960-2TCS	4711085937513



Specifications

- Capacity: 1TB / 2TB
- Controller: SMI SM2264
- NAND Flash: 3D NAND
- Interface: PCIe Gen4 x4
- Form Factor: M.2 2280
- Sequential read/write (Max.):
Up to 7,400/6,800MB/s (PC/laptop)
Read speed up to 6,400MB/s (PS5)
- 4K random read/write IOPS (Max.): 750K/630K
- Operating Temperature: 0°C-70°C
- Storage Temperature: -40°C-85°C
- Shock Resistance: 1500G/0.5ms
- Dimensions (L x W x H):
80 x 22 x 3.13mm (with heat sink)
80 x 22 x 2.15mm (without heat sink)
- Weight:
w/ heat sink : 11g / 0.39oz
w/o heat sink : 8g / 0.28oz
- Terabytes Written (TBW)(Max. capacity): 1560TB
- MTBF: 2,000,000 hours
- Warranty: 5-year limited
- Certifications: CE, FCC, BSMI, KC, EAC, RCM, morocco, UKCA, RoHS


Performance

Capacity	Sequential Performance (Up to) ¹		4K Random (Up to) ²		PS5 (Up to)	TBW ³
	Read (MB/s)	Write (MB/s)	Read (IOPS)	Write (IOPS)	Seq. Read (MB/s)	
1TB	7,400	6,000	730K	610K	6,400	780TB
2TB	7,400	6,800	750K	630K	6,400	1560TB


¹M/B: MSI X570 Gaming Plus Max , CPU: AMD Ryzen 7 3700X 8-Core Processor 3.6GHz, RAM: ADATA 8G DDR4-2666MHz
²Performance may vary based on SSD capacity, hardware test platform, test software, operating system, and other system variables
³The value is the minimum amount of terabyte written that could be reached.

Schematics

<With heatsink>



<Without heatsink>



ADATA Technology Co., Ltd
2F, No.258 Liancheng Rd.,
Zhonghe Dist., New Taipei City 235, Taiwan
T: +886-2-8228-0886
F: +886-2-8228-0887
E: adata@adata.com
Dokument pobrano z <https://www.gral.pl>

CAN ICES-3 (B)/NMB-3(B)

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

D33A23 RoHS

R-R-A99-ALEGEND960

UK	REP	APEX CE SPECIALISTS LIMITED Address: 89 Princess Street, Manchester, M1 4BT, UK E-mail: adata_europe@adata.com
EU	REP	ADATA Technology B.V. Address: Transpolderpark, Siriusdreef 17-27, 2132 WT, Hoofddorp, The Netherlands E-mail: adata_europe@adata.com

FC CE UKCA ENE

RoHS

10

RECYCLED